

Patient Information

Patient Name: DRAKOS PANAGIOTIS
Patient Identification Number: 1190266
Patient Passport Number:
Date of Birth: 27/11/2007
Contact Number: 99267152 -
Email: cdrakou@cd.moi.gov.cy

Sample Information

Sample: Nasopharyngeal swab
Unique Lab Number: 5817076
Date of Collection: 18/08/2021 Time: 13:18:06
Date of Validation: 18/08/2021 Time: 15:27:58
Tested Genes: ORF1ab gene, N gene, S gene

Molecular Testing of Coronavirus SARS-CoV-2

RESULTS

NEGATIVE

RNA of the new coronavirus SARS-CoV-2 (COVID-19) was **NOT DETECTED** in the submitted swab.

Methodology

Synlab Cyprus performs the Covid-19 test using a real-time reverse transcription polymerase chain reaction (RT-PCR) test and is intended for the qualitative detection of nucleic acid from SARS-CoV-2.

SARS-CoV-2 is generally detectable in upper respiratory and bronchoalveolar lavage specimens during the acute phase of infection.

Results are for the identification of the unique genomic identification of SARS-CoV-2 RNA.

SYNLAB
Piraeus 36, 2023 Stroyolos
Nicosia, Cyprus
P +35722751333
F +35722751334
info.cyprus@synlab.com
www.synlab.com

Chief Medical Officer
Dr. Athina Thymi

SYNLAB
Piraeus 36, 2023 Stroyolos
Nicosia, Cyprus
P +35722751333
F +35722751334
info.cyprus@synlab.com
www.synlab.com

Demetris Koutalianos
Molecular and Genetics Officer